

DADAO



Web: www.dadaotools.com
Mail: sales@dadaotools.com
Phone: +86 18057927203

浙江大岛电器有限公司

网站: www.dadaotools.com
电话: +86-579-89293666

DADAO®

2023-产品目录

PRODUCTS CATALOG



ABOUT US 关于我们

Dadao Tools was founded in 2003 by Mr. KuanYe Chen, who used to be the award distributor of Makita tools during 1993 to 2002. We have been producing power tools since 2003 and initially started out providing OEM service for SAFUN tools. Since then, we have always been at the forefront of the market. In the year 2007, the cordless technology was introduced worldwide. Dadao was the first factory to develop the NI-CD cordless drill in Yongkang. Based on our constant commitment to quality and durability, we started to push the Lithium-ion battery technology in 2011 and brushless technology in 2013.

Dadao Tools is located in Yongkang City, a city with a population of about 536,000 and is one of the 100 (of 374) economically strongest cities in China. It is about 300km southwest of Shanghai and close to the Ningbo Port, thereby allowing us to do business internationally with ease.



MODEL: 8126
10mm drill / driver

Specifications

Battery	12v LI-ION
Chuck Size	10mm
Rated Torque	35Nm
Torque Setting	20+1
No load speed	0-450/1550 rpm



MODEL: 8126H
10mm Hammer drill/driver

Specifications

Battery	12v LI-ION
Chuck Size	10mm
Rated Torque	35Nm
Torque Setting	20+3
No load speed	0-450/1550 rpm



MODEL: 8128
10mm drill / driver

Specifications

Battery	21V Max Li-ion
Chuck Size	10mm
Rated Torque	40Nm
Torque Setting	20+1
No load speed	0-450/1550 rpm



MODEL: 8128H
10mm hammer drill/driver

Specifications

Battery	21V Max Li-ion
Chuck Size	10mm
Rated Torque	40Nm
Torque Setting	20+3
No load speed	0-450/1550 rpm



MODEL: 8130
13mm hammer drill/driver
BRUSHLESS

Specifications

Battery	21V MAX LI-ION
Chuck Size	13mm
Rated Torque	60Nm
No load speed	0-500/1600 rpm
Impact Rate	0-12800 lpm



MODEL: 8129H
10mm hammer drill/driver
BRUSHLESS

Specifications

Battery	21V Max Li-ion
Chuck Size	10mm
Rated Torque	55Nm
Torque Setting	20+3
No load speed	0-550/1800 rpm



MODEL: 8127
10mm drill / driver
BRUSHLESS

Specifications

Battery	12v LI-ION
Chuck Size	10mm
Rated Torque	45Nm
Torque Setting	20+1
No load speed	0-500/1650 rpm



MODEL: 8129
10mm drill / driver
BRUSHLESS

Specifications

Battery	21V Max Li-ion
Chuck Size	10mm
Rated Torque	55Nm
Torque Setting	20+1
No load speed	0-550/1800 rpm





MODEL: 8206
1/2" 300Nm impact wrench
BRUSHLESS

Specifications	
Battery	21V MAX LI-ION
Shaft Size	12.7mm (1/2")
Rated Torque	0-300Nm
No load speed	0-2200 rpm
Impact Rate	0-2800Bpm



MODEL: 8208
1/2" 300Nm impact wrench
BRUSHLESS

Specifications	
Battery	21V MAX LI-ION
Chuck Size	12.7mm (1/2")
Rated Torque	0-500Nm
No load speed	0-2800 rpm
Impact Rate	0-4800Bpm



MODEL: 8207
1/4" 250Nm impact driver
BRUSHLESS

Specifications	
Battery	21V MAX LI-ION
Shaft Size	6.35mm (1/4")
No load speed	0-2200 Rpm
Impact Rate	0-2800 Bpm
Rated Torque	0-250 Nm



MODEL: 8230
1/4" 12V Ratchet Wrench

Specifications	
Battery	12V LI-ION
Shaft Size	6.25mm (1/4")
No load speed	0-230 Rpm
Rated Torque	0-55 Nm



MODEL: 8403
4" 100mm Angle grinder
BRUSHLESS



Specifications	
Battery	21V MAX LI-ION
Shaft	10mm
Disk Dia.	100 mm
No load speed	0-7500 rpm

MODEL: 8404
4-1/4" 115mm Angle grinder
BRUSHLESS



Specifications	
Battery	21V MAX LI-ION
Shaft	14mm
Disk Dia.	115 mm
No load speed	0-7500 rpm

MODEL: 8406
Cordless Multi-function Tool
BRUSHLESS



Specifications	
No-load speed:	10500-20000 Rpm
Oscillating Degree:	3°
Speed Adjustment:	6 speed dial
Quick Release Clutch	
Build-in LED	

MODEL: 8407
Cordless Multi-function Tool



Specifications	
No-load speed:	5000-19000 Rpm
Oscillating Degree:	3°
Speed Adjustment:	6 speed dial
Quick Release clutch	
Build-in LED	

MODEL: 8306
20mm 4 Action Rotary hammer
BRUSHLESS



Specifications	
Battery	21V MAX LI-ION
Drill type	SDS plus
Cylinder	20 mm
No load speed	0-1100 rpm
Impact Rate	0-5600 lpm

MODEL: 8304
26mm 4 Action Rotary hammer
BRUSHLESS



Specifications	
Battery	21V MAX LI-ION
Drill type	SDS plus
Cylinder	26 mm
No load speed	0-900 rpm
Impact Rate	0-4600 lpm

MODEL: **8189**
Leaf blower



Specifications

Voltage	21V MAX LI-ION
Rated Speed	0-18,000 Rpm
Air Speed	0-200 KM/H/ 120MPH
Air Volume	0-280CFM

MODEL: **8192**
Cordless Axial blower



Specifications

Battery	21V MAX LI-ION
No load speed:	18,000 rpm
Max. Air Speed:	35m/s
Max. Air volume:	420CFM
	11.8 CMM
Speed Adjustment:	3 speed

MODEL: **8193**
40V Cordless Axial blower



Specifications

Battery	40V MAX LI-ION
No load speed:	20,000 rpm
Max. Air Speed:	38m/s
Max. Air volume:	480CFM
	13.5 CMM
Speed Adjustment:	3 speed

MODEL: **8194**
40V Cordless Axial blower (DUAL BATTERY)
BRUSHLESS



Specifications

Battery	40V (21V max x 2)
No load speed:	0-25,000 Rpm
Max. Air Speed:	46m/s
Max. Air volume:	580CFM
	16.4CMM
Max. Air volume:	0-580CFM
Speed Adjustment:	Variable
Turbo mode:	Yes

MODEL: **8183**
High speed dust blower
BRUSHLESS



Battery	21V MAX LI-ION
Max. Air Speed:	380 Mph
Max. Air volume:	25 Cfm
One-touch nozzle release	
Filter on blower in take	
Build-in LED	

MODEL: **8186**
Dust Extraction blower



Specifications

Battery	21V MAX LI-ION
Voltage	21V max Li-ion
Rated Speed	0-21,000 Rpm
Air Speed	0-200 KM/H/ 130MPH
Air Volume	0-95 CFM / 2.8 Cbm/min

MODEL: **9103**
30mm cordless shears



Specifications

Battery	21v max Li-ion
Cut speed	35 spm
Dimension	34x21x11
Machine weight	1.6kg

MODEL: **8703**
10" Cordless Chain saw



Specifications BRUSHLESS

Battery	21V MAX Li-ion
No-load Speed	4m/min
Cutting length	250mm(10")
Oil tank Capacity	150ml
Max Power	800W

MODEL: **8704**
6" Cordless Chain saw



Specifications

Battery	21V MAX Li-ion
No-load Speed	3m/min
Cutting length	150mm (6")
Max Power	400W

MODEL: **8705**
20V Cordless chain saw
BRUSHLESS



Specifications

Battery	21V MAX LI-ION
No-load Speed:	4m/min
Cutting length:	150mm(6")
Max power:	400W
Chain tension knob	

MODEL: **8701**
Cordless Reprocating saw



Specifications

Battery	21V MAX Li-ion
No-load Speed	0-3000 spm
Cut depth	0-80mm
Stroke length	15mm

MODEL: **8702**
Cordless Reprocating saw
BRUSHLESS



Specifications

Battery	21V MAX Li-ion
No-load Speed	0-3000 spm
Cut depth	0-120mm
Stroke length	26mm

MODEL: 8506

Cordless Dual caulking gun



Specifications

Battery 21V MAX LI-ION
 Dispensing speed: 0-6.5mm/s
 Dispensing force: 8000N
 Speed adjustment: 6 speed
 Support material: 600ml 1:1 dual cartridge
 Built-in Led

MODEL: 8507

Cordless Dual caulking gun



Specifications

Dispensing speed: 0-6.5mm/s
 Dispensing force: 8000N
 Speed adjustment: 6 speed
 Support material:
 400ml 1:1 / 600ml 1:1
 dual cartridge
 Built-in Led

MODEL: 8508

Cordless Dual caulking gun



Specifications

Dispensing speed: 0-6.5mm/s
 Dispensing force: 8000N
 Speed adjustment: 6 speed
 Support material:
 385ml 3:1 / 585ml 3:1
 Battery 21V MAX LI-ION
 dual cartridge
 Built-in Led

MODEL: 8509

20v Cordless Dual caulking gun



Specifications

Battery 21V MAX LI-ION
 Dispensing speed: 0-6.5mm/s
 Dispensing force: 8000N
 Speed adjustment: 6 speed
 Support material:
 380ml 10:1 / 420ml 10:1
 Coaxial dual cartridge
 Built-in Led

MODEL: 8505C

300ml Cordless caulking gun



Specifications

Battery 21V MAX LI-ion
 Dispensing Speed: 0-8.7mm/s
 Dispensing Force: 6500N
 Speed adjustment: 6 speed
 Support Material: 300ml Cartridge
 Built-in Led

MODEL: 8505

600ml Cordless caulking gun



Specifications

Battery 21V MAX LI-ion
 Dispensing Speed: 0-8.7mm/s
 Dispensing Force: 6500N
 Speed adjustment: 6 speed
 Support Material: Max 600ml Sausage
 Max 400ml Cartridge
 Built-in Led

MODEL: 8504

600ml Cordless caulking gun



Specifications

Battery 21V MAX Li-ion
 Dispensing Speed: 0-8.7mm/s
 Dispensing Force: 6500N
 Speed adjustment: 6 speed
 Support Material: Max 600ml Sausage
 Max 400ml Cartridge
 Built-in Led

MODEL: 8504c

300ml Cordless caulking gun



Specifications

Battery 21V MAX Li-ion
 Dispensing Speed: 0-8.7mm/s
 Dispensing Force: 6500N
 Speed adjustment: 6 speed
 Support Material: 300ml Cartridge
 Built-in Led

MODEL: 8501

12v Cordless caulking gun



Specifications

Battery 12V MAX Li-ion
 Dispensing Speed: 0-6.5mm/s
 Dispensing Force: 3600N
 Speed adjustment: 6 speed
 Support Material: Max 600ml Sausage
 Max 400ml Cartridge
 Built-in Led

MODEL: 8503

12v Cordless caulking gun



Specifications

Battery 12V MAX Li-ion
 Dispensing Speed: 0-6.5mm/s
 Dispensing Force: 4000N
 Speed adjustment: 6 speed
 Support Material: Max 600ml Sausage
 Max 400ml Cartridge
 Built-in Led

MODEL: 8405

Cordless Orbit Buffer / Polisher

BRUSHLESS



Specifications

Battery 21V MAX LI-ION
 Pad size: 5" (125mm)
 No Load Speed: 0-780rpm
 Orbits Per Minute: 0-5600 opm
 Orbits Diameter: 7/32"
 Speed Adjustment: 6 speed dial
 Built-in LED

MODEL: 8408

Cordless Orbital Sander



Specifications

Battery 21V MAX LI-ION
 Pad size: 5" (125mm)
 No Load Speed: 7000-12000 Rpm
 Speed Adjustment: 3 speed
 Dust extraction bag

MODEL: **9101**
Cordless Grass Trimmer



Specifications

Voltage: 21V max Li-ion
Rated Speed: 0-7500 Rpm
Guard Dimension: 180mm
Telescopic Handle: 50-110cm

MODEL: **9102**
Cordless Hedge Trimmer



Specifications

Battery 21V Max LI-ION
No-load speed 1300rpm
cutter length 510mm

MODEL: **8603**
Cordless Grease Gun



Specifications

Voltage: 21V max Li-ion
Capacity 400g
Dispensing speed 150g/min
Max. Pressure 400 bar
Supply Hose 9.3x1000mm

MODEL: **8604**
Cordless Car Tyre inflator



Specifications

Max Pressure: 10 Bar
Flow rate: 32L/min
Digital Pressure display & setting
Built-in LED

MODEL: **8706**
Cordless Wood Planer



Specifications

Voltage: 21V max Li-ion
Planing Width: 82mm
Planing Depth: 1.5mm

MODEL: **8707**
Cordless Jig saw



Specifications

Voltage: 21V max Li-ion
Cutting Angle: 0-45°
Pendular Position: 4 Model
No- Load Speed: 0-2900 Rpm
Cut Depth: 65mm

MODEL: **8605**
Cordless Spray Gun



Specifications

Voltage 21V max Li-ion
Air flow 160L/min
Paint flow 100-200ml/min
Capacity 800ml
Max. Viscosity 60 DIN-Secs

MODEL: **8606**
Cordless high pressure washer



Specifications

Max pressure: 400PSI
Flow rate: 3.7L/min

MODEL: **8707**
Cordless Circular Saw
BRUSHLESS



Specifications

Voltage: 21V max Li-ion
No-load speed: 5000 Rpm
Max disk size: 185mm x 20mm
Max cutting depth: 60mm
Bevel Capacity: 0-45°

MODEL: **8710**
Cordless Belt Sander



Specifications

Voltage: 21V max Li-ion
No-load Speed: 120-350 /min
Belt Size: 76*457mm (3*18 inch)
Speed Adjust: 6 Speed Dialer

MODEL: **8607**
Cordless heat gun



Specifications

Battery 21V Max LI-ION
Rated Power: 450W
Max. temperature: 550°C
Max. Air flow: 200L/min
Build-in LED

MODEL: **8602**
Cordless Pex-A expander



Specifications

Battery 21V Max LI-ION
No-load Speed 32 SPM
Stroke length 25mm
Support Tube: 1/2", 3/4", 1", 1- 1/4"